

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

Claims 1-16 (Canceled).

17. (New) A mounting apparatus for a display module, comprising:
  - an upper sash having a sidewall;
  - a protection rod within the upper sash and fixed to a side of the display module;
  - an arm between the sidewall and the protection rod;
  - a fastener extending through the sidewall and the arm and into the protection rod, thereby securing the arm between the display module and the sidewall; and
  - a fixed rod movably coupled to the arm.
18. (New) The mounting apparatus of claim 17, wherein a portion of the fixed rod is within the upper sash.
19. (New) The mounting apparatus of claim 17, wherein a portion of the fixed rod is outside the upper sash.
20. (New) The mounting apparatus of claim 17, further including a hinge for movably coupling the fixed rod to the arm.

21. (New) The mounting apparatus of claim 17, wherein the fixed rod is movably coupled to the arm within the upper sash.

22. (New) The mounting apparatus of claim 17, wherein the fixed rod is movably coupled to the arm outside the upper sash.

23. (New) The mounting apparatus of claim 17, wherein the sidewall includes a recess through which the faster extends.

24. (New) The mounting apparatus of claim 17, wherein the display module includes a liquid crystal display module.

25. (New ) The mounting apparatus of claim 17, wherein the upper sash further includes:  
a plate extending perpendicularly to the sidewall;  
a rear wall extending from the plate and the sidewall;  
a blade extending from the rear wall; and  
a hole, extending from a middle portion of the rear wall to a portion of the blade, through which the fixed rod extends.

26. (New) The mounting apparatus of claim 25, wherein the blade extends parallel to the plate.

27. (New) The mounting apparatus of claim 25, wherein the blade slants toward a portion of the plate.

28. (New) A mounting apparatus for a display module, comprising:
- a lower sash having an sidewall;
  - a fixed rod secured to an inner surface of the sidewall;
  - an arm movably coupled to the fixed rod;
  - a protection rod fixed to a side surface of the display module; and
  - a fastener extending through the arm and into the protection rod, thereby securing the arm to the display module.
29. (New) The mounting apparatus of claim 28, wherein the fixed rod is movably coupled to the arm within the lower sash.
30. (New) The mounting apparatus of claim 28, wherein the fixed rod is movably coupled to the arm outside the lower sash.
31. (New) The mounting apparatus of claim 28, further including a hinge for movably coupling the fixed rod to the arm.
32. (New) The mounting apparatus of claim 28, further comprising an upper sash, within which the arm and protection rod are disposed, wherein the upper sash includes a sidewall.
33. (New) The mounting apparatus of claim 32, wherein the fastener further extends through the sidewall to secure the arm between the display module and the sidewall.

34. (New) The mounting apparatus of claim 33, wherein the sidewall includes a recess through which the faster extends.

35. (New) The mounting apparatus of claim 28, wherein the display module includes a liquid crystal display module.